



DELTA

PLATFORM STAIRLIFT

DELTA

Platform stairlift for straight staircases



COMFORTABLE



Automatic platform functions and ergonomic control devices

SIMPLE



Quick installation and low maintenance for maximum satisfaction

SPACE-SAVING



Narrow design for maximum platform widths, installation from 890 mm stair width

OPERATION



Wireless remote control

Handheld cassette or wall-mounted



Handheld cassette on spiral cable

Operation on platform



Joystick


integrated into platform

RAIL

The rail is made of **steel**, **stainless steel**, or **aluminum**. The standard colors for the steel coating are RAL 9007 and 7035, but any RAL color is available as an option.

The rail can be mounted on **supports** or on the **wall**.






TIP

Technical specifications

Load capacity	225 kg (optional 300 kg)
Platform sizes (standard)	700 x 750 mm, 750 x 850 mm, 800 x 900 mm, 800 x 1000 mm
Platform sizes (special)	Up to max. 900 x 1300 mm
Incline	0-52 °
Speed	0,06-0,12 m/s
Noise level	Below 60 dB
Temperature	+45 °C to -15 °C
Width when folded	300 mm
Power Supply	1 x 230 V / 50-60 Hz
Standard colors	RAL 9007 or 7035
Engine performance	0,5 kW
Maximum rail length	30 m
Certificates	TÜV certified according to EN 81-40



Our platform stairlifts are TÜV certified in accordance with the current EU standard **EN 81-40:2020**.





Contact your dealer for
further information:

MMS Medical
51 Eastgate Drive
Little Island
Cork T45 EA06
T: 021 4618000
www.mmsmedical.ie

Official partner of:



Lehner Lifttechnik GmbH

Mitterweg 4
4722 Peuerbach
Austria
+43 7276 29 800
sales@lehnerlifttechnik.at
www.lehner-lifttechnik.com

09/2025



Platform stairlifts



Chair stairlifts



Vertical platformlifts



Special lifts

Visit our website
for more details
about this lift

