

PRODUCT DATASHEET

Disposable Jug w/Lid 1L, WardPak™

Brand	: CURAS®
Category	: Nursing
Range	: Hygiene Pulp™
Product Group	: Human Waste Collection
REF	: 08034



PRODUCT DESCRIPTION

Disposable jug made of pulp material with water resistance properties. 1L capacity. Suitable for disposal in a macerator. Lids are included for emergency use. Packed in WardPak™ for easy dispensing. Non-sterile.

INTENDED USE

Disposable jug for draining urine from urine drainage bag/system. It is also suitable for holding other liquid contents. Single use.

FEATURES & BENEFITS

- An environmental friendly product that is made of 100% recycled newsprint paper.
- Disposable for reduced risk of cross-contamination and Hospital-Acquired Infections.
- Water resistant, for a minimum period of 4 hours (applicable to jug only).
- Integrated graduation marking for indication of approximate volume.
- Reinforced rim provides extra strength and supports weight of contents when full.
- Ergonomic design allows easy holding and handling.
- Rounded edges on the base prevent cracking and increase wet strength.
- Reinforced base provides extra stability.
- Double-press process gives a smooth surface and better finishing on product.
- Disposable lid for discretion, and helps to contain odours and prevent accidental spills.
- Stackable to reduce storage space.
- Inner bag, WardPak™ allows easy dispensing at ward level and protects product from dust and contamination.

PRODUCT SPECIFICATIONS

REF	Capacity	Dimensions (L x W x H)	Average Weight/Pc	Packing
08034	1L	25.8 x 18.8 x 9 cm	41 g ± 1 g	WardPak™

Composition

- Jug is made of 100% recycled newsprint paper with water-based fluid resistant compound.
- Lid is made of cardboard.

Country of Origin

- China



Sterilization

- Non-sterile.
- Can be sterilized by EtO and Gamma radiation.

Shelf Life

- Jug and lid: 8 years

Selected Standards & Guidelines

- MDD 93/42/EEC (CE Marking, Class I), as amended by Directive 2007/47/EC.
- ISO 9001:2008
- PAS29:1999 Fluid resistance test for a minimum period of 4 hours (water at 35±3°C).
- PAS29:1999 Maceration test with a hospital sluice room type macerator, normal cycle.

Recommended Storage Condition

- Store at room temperature and avoid exposure to extreme temperatures.
- Keep at cool dry place, away from moisture, heat and sources of ignition.

Proposed Disposal Method

- If regular waste, dispose of used product into a macerator, or in accordance with the local waste protocol. If a macerator is not available, incinerate or land-fill.
- If content is contaminated or contagious, treat as clinical waste and dispose of in accordance with the clinical waste protocol.

Product Symbols



PACKAGING

INFO

REF	EAN-13 Barcode	WardPak™	Carton	Gross Weight
08034	5051400080340	100 pcs / bag	Jug: 200 pcs / carton Lid: 10 pcs / carton	~9 kg

Components / Material Properties			Recommendations on Waste Handling				
Packaging	Material	Contains PVC	Incinerate	Landfill	Macerate	Recycle	Reuse
WardPak™	PE	--	√	(√)		√	
Outer Carton	Corrugated Carton	--	(√)	(√)		√	
Transport Pallet	Wood	--				(√)	√

√ = Highly recommended

(√) = Recommended

ADDITIONAL INFO

- Curas® Hygiene Pulp™ products have been tested in several macerator models and are compliant under recommended operating procedures.
- HS Code: 4823709000
- Documentation available upon request. Kindly contact: info@curas.com

PDS/08034/040117/03