



## POSITIONING OPTIONS

### STANDARD POSITIONING COMPONENTS




**TIP:** All Pads are able to be cut with a sharp knife for extra customisation.

### TYPICAL SYMMETRICAL ASSEMBLY



## PELVIC OBLIQUITY



Use the stack of 10 BAC Pads to correct / accommodate Pelvic obliquity. Pads can be layered for higher build requirements.



## PELVIC ROTATION




The Pre-Ischial Pads may be spaced out, angled, flexed into a curved shape or removed to create the exact space for the pelvis.



## LEG LENGTH DISCREPANCY



Thigh wedges may be used to accommodate a leg length discrepancy and an abducted or adducted sitting position.



## TIGHT HAM-STRINGS




Thigh wedges are able to be removed or layered to achieve different angles of lift, raising and lowering each femur individually. This is particularly useful for tight hamstrings.




## LATERALS FLEXED

The Laterals may be flexed into shape accurately follow the contours from the pelvis to the knee. This enables a smooth unbroken surface along the leg for improved weight distribution.





## POMMEL ASYMMETRICAL SET-UP



The Pommel is divided into 2 halves so the exact desired position of each femur is achieved. The pommel is firm for accurate long-term positioning.



## FULL ASYMMETRICAL SET-UP




With surfaces covered in hook & Loop, accurate asymmetrical positions are easily achieved providing a stable base for each individual.

When building the base for the user, allow extra room around the body for the comfort wrap to be placed over top.

...& more

### CLUSTER PACKS AS SHAPERS & FILLERS

Use extra cluster packs (gel or foam) to create more shapes & fill cavities if required.



### EXTRA LATERAL SEGMENTS

Extra Lateral Segments are able to be purchased separately to further customise the seat base to the user.

